




*Marking Services Canada Ltd.*

## **Engineered** Process Labeling Services

Power Generation  
Oil and Gas  
Petro Chemical  
Pharmaceutical  
Food and Beverage







**Over the last 20 years,**

MSC has pioneered the pipe labeling industry with an innovative turnkey approach to the market. Our specialized products communicate the contents, origin and destination of piping systems—vital to the safe and efficient operation of any facility.

# value

**At MSC, we don't simply create markers, signs and tags.**

We enhance the overall safety and efficiency of your facility.

From developing accurate P&IDs to the manufacture and installation of clear, durable markers and tags that effectively communicate valuable information to all who need it. MSC offers you a single, seamless source to help you better manage your facility. That's partnership. That's value. **That's MSC.**



*Marking Services Canada Ltd.*





# 1

We're your single source for all plant labeling.

**MSC's** experience and innovative product solutions  
provide increased visibility and clarity of information  
that enhances the safety and efficiency of facilities.

## THE RIGHT PROCESS

At MSC, our process begins with developing a scope of work based on the needs of our clients. Once the scope is defined, MSC will develop the Bill of Materials required (using a 3D computer design model and P&IDs), determine the proper in-plant location for each marker or sign, and manufacture and install all required labeling materials. Our single source turnkey process guarantees that your plant labeling will match your P&IDs. We go beyond simply printing pipe contents and flow arrows on line labeling, to also include the P&ID line number and FROM/TO information. This comprehensive approach transmits critical information from P&IDs to the field, resulting in smoother commissioning and start-up.

## THE RIGHT PRODUCT

Our pipe markers are more durable than conventional labeling – they're made to withstand prolonged exposure to direct sunlight, temperatures up to 121°C/250°F, and repeated contact with hydrocarbons & process chemicals. In addition, they can be customized to comply with project specifications and color codes and be installed quickly as a single-piece unit without preparation of the pipe surface. These markers can also be removed for line maintenance, then easily re-installed.





# engineering

S U C C E S S   B E G I N S   W I T H   P R E P A R A T I O N


Every successful project begins with the development of a detailed scope of work based on the client's expectation and needs. Selecting the appropriate materials, planning label placement, and determining installation parameters for any facility is considerably more complex than most people think. Our staff of full-time professionals are experienced in the intricacies of developing and implementing a total identification system.

**STEP 1** MSC will develop a *Pipe Marker Line List* using the project P&IDs. This list captures all lines from the drawings and includes all pertinent information for labeling.

**STEP 2** The *Pipe Marker Line List* is reviewed by owner personnel, allowing them to indicate "Pipe Contents" with user-friendly terminology. The owner is not expected to review or edit the "from" and "to" information. When the list is completed, MSC adds marker sizes and proper color-codes for piping systems.

**STEP 3** MSC field engineers walk down all lines to determine specific marker locations. This procedure enables as-built verification, confirms pipe insulation diameters and the marker quantity required for each line.

## IDENTIFICATION OF PIPE IN RACK ABOVE FACING NORTH



LOC	LEGEND	LINE #	FROM / TO
1	ETHYLENE	32-P-500173-JR11-0.75" C (-10 C)	FROM P-503 A/B TO E-1203
2	ETHYLENE	32-P-500081-JR01-8" C (-10 C)	FROM P-503A/B TO E-513
3	ETHYLENE	32-P-500081-JR01-8" C (-10 C)	FROM P-503A/B TO E-513
4	ETHYLENE	32-P-500158-E 301-1" C (-37 C)	FROM E-50001 TO COLD FLARE
5	ETHYLENE	32-P-500090-JR01-10" C (-10 C)	FROM P-503-A TO E-512
6	ETHYLENE	32-P-500163-EB01-8" C (-24 C)	FROM P-503A/B TO D-524
7	ETHYLENE	32-P-500098-EB01-4" C (-24 C)	FROM P-503A TO COLD FLARE/T-502
8	MIST OIL		
9	DRINKING WATER		
10	LOW PRESSURE CONDENSATE	32-P-500090-JR01-10" C (-10 C)	FROM P-503-A TO E-512
11	ETHYLENE		
12	LOW PRESSURE CONDENSATE		
13	LOW PRESSURE STEAM		
14	PROPANE REFRIGERANT	32-P-520158-EB01-8" C (-36 C)	FROM TK-1148 TO E-511
15	ETHANE	32-P-710042-DA03-3" N48 C)	FROM E-711 TO TK-1142A/B/C/TK-1152
16	C5/CUT		
17	PROPANE REFRIGERANT	32-P-074005-DA03-2" N48 C)	FROM P-1102 A/B
18	C5/C8 CUT		
19	DMDS	32-P-500063-JR01-8" N29 C)	FROM E-512 TO D-524
20	ETHYLENE	32-P-510026-EA11-2" N48 C)	FROM E-503A/B TO TK-1152
21	C5/CUT	32-P-610029-DA03-2" N48 C)	FROM P-1115 A/B TO F-501
22	C5/CUT	32-P-620058-EB01-3" N45 C)	FROM E-500 TO D-1411
23	HYDROGENATED C3/C5		
24	LOW PRESSURE CONDENSATE	32-P-673004-EB01-3" N45 C)	FROM P-1101 A/B TO FURNACES
25	C3/C4 CUT	32-P-500098-EB11-8" C (-24 C)	FROM D-524 TO TK-1145A/B/C
26	ETHYLENE		
27	INSTRUMENT AIR		
28	COLD FLARE		
29	INSTRUMENT AIR		
30	PLANT AIR		
31	SERVICE WATER		
32	ACID	32-P-673001-EB11-4" N45 C)	FROM P-1101 A/B TO DOLPHIN
33	C3/C4 CUT	32-P-120006-DB01-6" C (-36 C)	FROM TK-1146 TO E-404
34	NITROGEN	32-P-520079-EJ01-4" C (-45 C)	FROM D-522 TO E-504
35	ETHANE	32-P-520108-DB01-6" C (-36 C)	FROM TK-1146 TO E-510
36	ETHANE		
37	ETHANE		
38	COOLING WATER RETURN		
39	COOLING WATER SUPPLY	32-P-500082-EB01-4" C (-24 C)	FROM T-524 TO TK-1146 A/B/C
40	ETHYLENE		
41	FUEL GAS		
42	FUEL GAS		
43	COLD DRAIN		
44	LOW PRESSURE CONDENSATE		
45	FIRE WATER	32-P-500162-EB01-8" C (-24 C)	FROM P-503A/B TO D-524
46	FIRE WATER		
47	ETHYLENE	32-P-520163-EB11-8" C (-31 C)	FROM T-502 TO TK-1146
48	COLD DRAIN		
49	ETHANE	32-P-210035-DA03-2" N48 C)	FROM P-1103 A/B TO D-330(HOT SECTION)
50	HOT DRAIN		
51	C5/C8 CUT		
52	COLD FLARE		
53	LOW PRESSURE STEAM		
54	LOW PRESSURE STEAM		

PROFILE 101 MARKING SERVICES CANADA • 780.986.8480

Example of an engineered pipe rack profile sign





# manufacturing

## OBJECTIVE

MSC markers transfer pertinent info from the client P&IDs to the actual piping within the facility. The markers identify process line contents, flow direction, origin, destination and line numbers providing critical process-specific information to operations, contractors and maintenance personnel in the event of an emergency.



# Pipe markers

## MATERIALS

MS-995 pipe markers are manufactured for extended life in harsh surroundings such as process chemical plants and marine/offshore environments. Each pipe marker is constructed from printed polyester with an exterior surface of MS-1000 to withstand exposure to direct sunlight, salt water, harsh process chemicals, acids, caustics and hydrocarbons. MS-995 pipe markers can withstand temperatures up to 250°F (121°C). This superior durability allows MSC to guarantee them to last a minimum of five years or we will replace them at no charge.

## MARKER INSTALLATION

Our pre-coiled markers wrap entirely around the pipe diameter and self seal with a permanent lock down strip. Markers for larger pipes are mounted to a rigid carrier which is affixed to the pipe with stainless steel banding.

## STANDARDS

MS-995 pipe markers conform to all of the standards set forth:  
ASME A13.1 "Scheme for the identification of Piping Systems".

BS1710

RLCGL/002/2004

ISO-14726

NR-26

IIAR Bulletin #114

NOM 062

CCOHS

WHMIS

CAN/CGSB





# Signs and Tags



## SIGNS

MS-215 operations, equipment, safety and GHS signs can be flexible or rigid based on mounting needs. Manufactured for plant environments, MS-215 signs are resistant to chemicals and fading, and are the highest quality material available.

## TAGS

MS-215 valve, instrument, and equipment tags are constructed with layers of chemical and UV resistant plastic which protect the printing and ensure long life in harsh plant conditions. MS-215 tags may also be QR/bar-coded and allow for systems color-coding. Depending on the application, tags are then installed with a variety of stainless steel fasteners.



Installed control valve tags





# installation

## OBJECTIVE

**MSC's turnkey approach provides a single source for the implementation of all mechanical identification programs. Our crews are all full time employees who have developed a unique methodology for efficiently labeling plants.**

## MSC INSTALLATION TEAMS:

- serve as a seamless extension of our client's personnel, yet work independently to minimize any disruptions in our client's normal activities.
- have extensive safety training and are provided with the best equipment to ensure that each project is completed safely.
- use their wealth of experience to guarantee all pipe labels, tags and signs are installed in the most appropriate areas to provide maximum visibility for facility operators and maximum value for clients.
- focus solely on labeling, signage and tagging. Our concentrated system allows projects to be completed in an optimal time frame of weeks rather than months.
- take a detailed approach to each project. Special attention is paid to pipe racks, manifolds and valves located in confined or hard to reach areas. This approach greatly simplifies the need for clients to trace lines both on a day-to-day basis and in times of emergency.
- ensure that the client receives the maximum value by guaranteeing any marker they install will last for five years or they will replace and/or reinstall it.
- offer maximum responsiveness with the ability to immediately manufacture any markers needed as a result of punch list changes or other client needs.



Typical marker installation



Bilingual installation





# maintenance

## OBJECTIVE

**MSC stands behind its services with the most comprehensive maintenance agreement in the industry. Because of the dynamic nature of process plants, changes in design and process piping must be accounted for and integrated with the rest of the facility. Although your facility will be marked properly when MSC is completed with a project, your investment in mechanical identification must be protected into the future.**

## MSC MAINTENANCE AGREEMENT

- An annual inspection can be included for each turnkey project. This is a service offered to each client to insure the markers are performing as they should, and that changes in the process piping are captured.
- MSC's goal is to maintain an up-to-date identification program that can account for change in the piping systems.

An MSC maintenance team confers before beginning work at a typical processing facility





# P&IDs

**Accurate P&IDs are an invaluable tool and resource for Process Safety Management (PSM), facility engineers, plant maintenance, and outside contractors in your plant or processing facility.**

MSC Technical Drafting Services specializes in creating and updating P&IDs for any process, taking their development to a whole new level. P&IDs created by MSC are much more than drawings. They are tools that not only illustrate your process in detail, but also provide valuable information on equipment, valves, lines and instruments, often referred to as intelligent P&IDs.



MSC's Technical Drafting Services P&IDs can be created utilizing your existing conventions and specifications or we can create specifications that meet your needs. When drawings have been completed, the information is extracted into a database and reports are generated. These reports provide a head start on the Process Safety Information element of PSM. If your process changes or is expanded, the new drawings can be extracted and a new database can easily be generated to help with Management of Change. The database can be useful for maintenance, asset management and inventory.

MSC's P&IDs utilize commodity color coding and are easy to follow and understand, allowing your risk assessment or HAZOP team to move quickly through your facility process. Our field engineering personnel physically trace every line and touch every component in scope to ensure accuracy.





Engineering

Manufacturing

Installation

Maintenance

P&ID updates

Value



*Marking Services Canada Ltd.*

#### Canada Office

---

3902 81<sup>st</sup> Avenue  
Leduc, Alberta Canada T9E0C3

Ph: 780.986.8480  
Fax: 780.986.8486  
sales@markserv.com

#### Corporate Headquarters

---

**Milwaukee, WI**  
8265 N. Faulkner Road  
Milwaukee, Wisconsin 53224

#### International Offices

---

AUSTRALIA	Brisbane Perth
BRAZIL	São Paulo
CANADA	Edmonton
QATAR	Doha
SINGAPORE	
SOUTH KOREA	Busan
UNITED ARAB EMIRATES	Abu Dhabi

#### Engineering Office

---

UNITED STATES Baytown, TX

#### TDS Office

---

UNITED STATES San Angelo, TX