



# MS-970 COILED VINYL ISOLATION SLEEVES

Technical Data



### Description

MS-970 coiled vinyl isolation sleeves are designed to prevent vibration and contact between metals to avoid galvanic action (electrolysis) in a wide variety of environments. No preparation of the pipe surface is required for application. Colors are sub-surface printed so they are protected by a layer of vinyl.

All MS-970 coiled vinyl isolation sleeves are manufactured using material which has been independently tested and meets the requirements of UL-94 classification V-0 for self-extinguishing materials.

They are available in a variety of sizes and colors both pre-coiled and flat.

- Ideal for rusty, dirty, or sweating pipes where adhesives cannot be used.
- No pipe surface preparation needed.
- Coiled construction quickly snaps around pipe.
- Sleeves can be removed during line maintenance, then re-installed.
- Standard and custom sizes available.

### Physical and Chemical Characteristics

<b>Base Material:</b>	Premium-grade Thermoplastic
<b>Material Thickness:</b>	.020" (.508 mm)   .015" (.38 mm)
<b>Service Temperature:</b>	40°F to 160°F (4°C to 71°C)
<b>Application Temperature:</b>	+50°F (10°C)
<b>Chemical Resistance:</b>	Excellent
<b>Water Resistance:</b>	Excellent
<b>Expected Outdoor Durability:</b>	Indoor Use Only
<b>Storage Durability:</b>	Up to 2 Years
<b>Abrasion Resistance:</b>	Excellent

#### **Mounting:**

**Finish:** Information on physical and chemical characteristics is based on tests we believe to be reliable. The values are intended only as a source of information and are given without warranty and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material for their specific application.

#### **Typical Sizes:**

#### **Standard Colors:**

#### **Options:**

Updated on 10/19/2021

3902 81 Avenue Leduc, AB T9E 0C3

Ph: 844.986.8480 | Email: mscsales@markserv.com | Website: www.markservcanada.ca